

MAR 06 2006

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008**AMENDMENTS TO THE CLAIMS**

Below is the entire set of pending claims pursuant to 37 C.F.R. 1.121(c)(3)(i), with any mark-ups showing the changes made by the present Amendment.

1. (Currently Amended) A method to facilitate the update of a plurality of user interface categories utilizing a single client application program, the method including:

at a first computer system, generating a user interface data message wherein the user interface data message includes the plurality of user interface categories and the single client application program, wherein the single client application program executes at a second computer system, and wherein each user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the second computer system;

communicating the user interface data message from the first computer system to the second computer system;

receiving a user interface update message, at the first computer system, wherein the user interface update message includes an update to the plurality of user interface categories; and

communicating the user interface update message from the first computer system to the second computer system to enable the single client application program, at the second computer system, to update the plurality of user interface categories, by communicating the update to a script and the script, in turn, updating the respective user interface elements.

2. (Original) The method of claim 1, wherein the first computer system comprises a server and the second computer system comprises a client.

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

3. (Canceled)
4. (Original) The method of claim 1, including, at the second computer system, generating a user interface element table wherein the user interface element table includes a call back function script and subscription subjects for each user interface element.
5. (Previously Presented) The method of claim 4, including, at the second computer system, reading the user interface element table and invoking the appropriate call back function script.
6. (Original) The method of claim 5, wherein the call back function script updates the user interface element with a display object model method.
7. (Original) The method of claim 1, wherein the single client application program populates a browser array with a name value pair for the user interface element.
8. (Previously Presented) The method of claim 7, wherein the single client application program communicates the user interface update message to the script, and the script in turn updates the user interface element, wherein the script reads a name value pair from the browser array.
9. (Original) The method of claim 1, wherein each user interface element is constructed from a text embedded with tags.
10. (Original) The method of claim 9, wherein the text embedded with tags is implemented as a Special Generalized Markup Language (SGML).
11. (Original) The method of claim 10, wherein the SGML is a Hypertext Markup Language (HTML).

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

12. (Original) The method of claim 10, wherein the SGML is Extensible Markup Language (XML).

13. (Original) The method of claim 10, wherein a Simple Object Access Protocol (SOAP) defines a messaging framework for transferring the user interface data message.

14. (Original) The method of claim 1, wherein the user interface data message further comprises an at least one of a plurality of Style Sheets.

15. (Original) The method of claim 14, wherein the at least one of a plurality of style sheets is a Cascading Style Sheet.

16. (Original) The method of claim 1, wherein the single client application program operates under a browser.

17. (Original) The method of claim 16, wherein the single client application program is a Java applet.

18. (Previously Presented) The method of claim 1, wherein the script executes under a browser at the second computer system.

19. (Previously Presented) The method of claim 1, wherein the single client application program updates at least one of a plurality of user interface categories.

20. (Currently Amended) A method to facilitate updating a plurality of user interface categories utilizing a single client application program, the method including:

at a first computer system, receiving a user interface data message from a second computer system, wherein the user interface data message includes the plurality of user interface

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

categories and the single client application program, wherein the single client application program executes at the first computer system, wherein each user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the first computer system;

sending a subscription subject message from the first computer system to the second computer system, the subscription subject message including a list of subscription subjects subscribed to by each user interface element of each category;

at the first computer system, the single client application program receiving a user interface update message, for subjects that have been subscribed to, from the second computer system; and

the single client application program updating the plurality of user interface categories, by communicating the update to a script and the script, in turn, communicating the update to the plurality of user interface categories to update the respective user interface elements.

21. (Original) The method of claim 20, wherein the single client application program is an MS Com object.

22. (Currently Amended) A method to facilitate receiving a user interface update from a plurality of user interface categories utilizing a single client application program, the method including:

at a first computer system, generating a user interface data message wherein the user interface data message includes the plurality of user interface categories and the single client application program, wherein the single client application program executes at a second computer system, wherein each user interface category includes a user interface element, and

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TTB-008

wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the second computer system;

communicating the user interface data message from the first computer system to the second computer system;

at the first computer system, receiving a subscription subject message, the subscription subject message including a list of subscription subjects subscribed to by the user interface elements;

at the first computer system, receiving a user interface update message from the second computer system, wherein the user interface update message is generated at the second computer system by the user interface element that communicates a user interface update to a script and the script, in turn, communicating the update to the single client application program, the single client application program communicating the user interface update message to the first computer system.

23. (Currently Amended) A method to facilitate communication of a user interface update from a plurality of user interface categories, utilizing a single client application program, the method including:

at a first computer system, receiving a user interface data message from a second computer system, wherein the user interface data message includes the plurality of user interface categories and the single client application program, wherein the single client application program executes at the first computer system, wherein each user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the first computer system;

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

sending a subscription subject message to the second computer system, the subscription subject message including a list of subscription subjects subscribed to by each user interface element of each category;

at the first computer system, a user interface element communicating the user interface update to a script and the script, in turn, communicating the update to the single client application program, and the single client application, in turn, communicating the user interface update message to the second computer system.

24. (Currently Amended) A system to facilitate an update to a plurality of user interface categories utilizing a single client application program, the system comprising:

an agent process, at a first computer system, that communicates a user interface data message to a second computer system wherein the user interface data message includes the single client application program and the plurality of user interface categories, wherein the single client application program executes at the second computer system, wherein the user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the second computer system; and

a communication process, at the first computer system, that communicates a user interface update message to the agent process;

wherein the user interface update message includes an update for the plurality of the user interface categories, and wherein the agent process, in turn, is adapted to communicate the user interface update message to the single client application program, at the second computer system, if the interface update message includes a subject that the single client application has subscribed to, and wherein the single client application program is adapted to update the plurality

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

of user interface categories by updating a script, which, in turn, updates the plurality of user interface categories to update the respective user interface elements.

25. (Currently Amended) A system to facilitate updating a plurality of user interface categories, utilizing a single client application program, the system comprising:

a first computer system to receive a user interface data message from a second computer system, wherein the user interface data message includes the single client application program and the plurality of user interface categories, wherein each user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the first computer system;

the single client application program, at the first computer system, to send a subscription subject message to the second computer system, the subscription subject message including a list of subscription subjects subscribed to by each user interface element of each category;

the single client application program, at the first computer system, to receive an interface update message from the second computer system if the interface update message includes a subject that a user interface element has subscribed to; and

the single client application to update the plurality of user interface categories, wherein the single client application program updates a script and the script, in turn, updates the plurality of user interface categories to update the respective user interface elements.

26. (Currently Amended) A system to facilitate reception of an update from a plurality of user interface categories, the system comprising:

an agent process, at a first computer system, to communicate a user interface data message to a second computer system wherein the user interface data message includes a first client application program and a plurality of user interface categories, wherein each user

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the second computer system; and

the agent process, in turn, to receive a user interface update message from the first client application program wherein the user interface update message is identified with a subject and generated, at the second computer system, by a user interface element adapted to communicate an update to the first client application program, wherein the agent process is to communicate the user interface update message to a communication process at the first computer system, and the communication process is to multicast the user interface update message to any computer system executing a client application program that has subscribed, with the first computer system, to receive user interface update messages identified with the subject.

27. (Currently Amended) A system to facilitate communication of an update from a plurality of user interface categories, the system comprising:

a first computer system to receive a user interface data message from a second computer system wherein the user interface data message includes a first client application program and the plurality of user interface categories, wherein each user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the first computer system;

the user interface element to communicate an update to the first client application program; and

the first client application program to communicate a user interface update message identified with a subject to the second computer system, the second computer system to multicast the interface update message to any computer system executing a client application program that

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

has subscribed, with the second computer system, to receive interface update messages identified with the subject.

28. (Currently Amended) A method to facilitate communication of an update to a plurality of user interface categories utilizing a single client application program, the method comprising:

at a primary computer system, multicasting a user interface update message wherein the user interface update message is identified with a subject;

at a secondary computer system, receiving the user interface update message;

communicating the user interface update message to a tertiary computer system wherein the tertiary computer system is listening for the user interface update message wherein the user interface update message is identified by the said subject;

at the tertiary computer system, a single client application program receiving the user interface update message; and

the single client application program in turn updating the plurality of user interface categories, wherein the plurality of user interface categories listens to the subject, wherein each category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the tertiary computer system, the single client application program updating a script and the script, in turn, updating the plurality of user interface categories to update the respective user interface elements.

29. (Currently Amended) A method to facilitate communication of an update from a plurality of user interface categories utilizing a single client application program, the method comprising:

at a source computer system, a user interface element comprising a dynamic element that defines the appearance of information displayed by the source computer system, the user

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

interface element in a category; and communicating an update to the single client application program wherein the update is identified with a subject;

the single client application program, in turn, communicating the user interface update message to an intermediary computer system;

at the intermediary computer system, receiving the user interface update message;

multicasting the user interface update message to a destination computer system; and

at the destination computer system, receiving a user interface update message,

communicating the update to the single client application and, in turn, communicating the update to a script and the script, in turn, communicating the update to a user interface element.

30. (Currently Amended) A system to facilitate the update of a plurality of user interface categories utilizing a single client application program, the system comprising:

a first means, at a first computer system, for communicating a user interface data message to a second computer system wherein the user interface data message includes the single client application program and the plurality of user interface categories, wherein the single client application program executes at the second computer system, wherein each user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the second computer system; and

a second means, at the first computer system, for communicating a user interface update message to the first means, wherein the user interface update message includes an update for the plurality of categories; and

the first means further for communicating the user interface update message to the single client application program, at the second computer system, the single client application program

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

for updating the plurality of categories, the single client application program to update a script and the script, in turn, to update the plurality of plurality of categories to update the respective user interface elements.

31. (Original) The system of claim 30, wherein the single client application program is a Java applet.

32. (Original) The system of claim 30, wherein each user interface element is constructed from a text embedded with tags.

33. (Original) The system of claim 30, including generating a user interface element table that includes a call back function script and subscription subjects for each user interface element.

34. (Currently Amended) A tangible, machine readable medium storing a sequence of instructions that, when executed by a machine, cause the machine to:

generate a user interface data message wherein the user interface data message includes a plurality of user interface categories and a client application program, wherein the client application program executes at a second computer system, wherein each user interface category includes a user interface element, and wherein each user interface element comprises a dynamic element that defines the appearance of information displayed by the second computer system;

communicate the user interface data message to the second computer system;

receive a user interface update message, wherein the user interface update message includes a subject and an update to the plurality of user interface categories; and

communicate the user interface update message to any computer system executing a client application program that has subscribed to receive interface update messages identified with the subject.

SERIAL NO. 10/058,152
ATTORNEY DOCKET NO. TIB-008

35. (Canceled)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.